




## **Remcon Security Light: REM-40**

A low-voltage security lighting system comprised of rugged LED luminaires and a reliable power supply. Mounted on fence posts, these lights are simple and quick to install and consume a fraction of the energy of traditional Security lighting. Can also be used in any lighting application where long wire runs are required (such as wooded paths and piers). Higher powered models are available for applications that require higher illumination levels.

- Provides no-glare lighting of appropriate illuminance for security cameras and guards.
- All components protected from dust and moisture impervious to environmental damage.
- Dark-sky compliant full-cutoff fixtures do not contribute to light pollution and light trespass.

The REMCON LED Security Lighting System addresses a need that other lighting systems do not - an inexpensive, energy-efficient way to enhance visual security for extensive or remote property boundaries. It also fills the need for a portable lighting system for the military, temporary fence companies, event providers, and consumers.





Address: B-403-404 4th floor, pacific Business Park, Sahibabad Industrial Area, Site IV, Sahibabad Ghaziabad UP 201010

Email: <a href="mailto:info@remconsecurity.com">info@remconsecurity.com</a>
Contact No.: +91-9910048363

For More Details please visit: <a href="mailto:www.remconsecurity.com">www.remconsecurity.com</a>



## Why REMCON Security light

**Materials Saving:** Up to 85% savings because these compact fixtures are priced to make every Security lighting project affordable.

**Low Labor & Maintenance:** Up to 90% savings because fixtures and wire are mounted directly to the fence, no trenching or pole installation. No maintenance required over the expected 15-year life of the fixture.

**Energy Saving:** Up to 80% savings because these energy-efficient LED sources are highly targeted to the Security region - no wasted light.

## Featurs:

- > Installation: Suitable for Pole and Wall both application as per required.
- > Dual operation Mode: Low illumination and bright illumination.
- ➤ Power: 220 volt AC input. Output 12 volt with low light when there is no motion. If there is any motion it generate 24 volt with Bright light.
- > Extra Low power LED.
- > Backup: 4-6 hours battery backup.
- > Integration: Fully integrated with command control application.
- > PIDS operation: Activate when alarm in fence.
- Programable: scheduled ON/OFF can be programmed.
- ➤ Both side illumination to provide the complete view of fence.
- ➤ Ingress protection: IP 65 rated.
- > Sensor Based: Equiped with motion sensor to save the more energy, glow when there is motion.
- > Dimension: User costumisable.



## **Technical**

Sr. No.	Parameter	
1	Number Of LEDs	20*20
2	Lux (Per Side)	1100
3	Input Power	110-220V/AC 50 Hz
4	Power Consumption	20 Watt
5	Battrey Backup	4 Hour
6	Gross Weight	3.5 Kg.
7	Ingress protection	IP65
8	Material	Metal